Blosc2: A fast, compressed and persistent data store library



@Blosc2

https://blosc.org/

Francesc Alted - @FrancescAlted
The Blosc Development Team
CEO ironArray.io

LEAPS Innov WP7 (data reduction and compression) meeting
October 11th 2021

Breaking Entropy (I)



Back in the 1940's, Claude Shannon invented a way to measure the information content of a message and called it **information entropy**:

$$H(s) = -\sum_{i=1}^{n} p_i log_2(p_i)$$

In theory, you *cannot compress a dataset beyond that entropy*.

However, Shannon did not take into account that **symbol ordering** (and not only *probability of occurrence*) is important when finding ways to express messages in less space than such information entropy.

Breaking Entropy (II)

Blosc comes with so-called filters that are about re-ordering data before the encoding stage. One example is the **shuffle filter**:



This typically allows codecs to **go beyond information entropy limits**.

BTW, Blosc2 has optimized versions of the shuffle filter for Intel (SSE2, AVX2), ARM (NEON) and PowerPC (ALTIVEC, thanks to a ESRF grant).

What is Blosc?

- Sending data from CPU to memory (and back) faster than *memcpy().*
- Split in blocks for better cache use: divide and conquer.
- It can use different filters (e.g. shuffle, bitsuffle) and codecs (e.g. LZ4, Zlib, Zstd, BloscLZ).



Leveraging Blosc the ‘right way’

- Blocks should be decompressed and operated in private caches for best performance.
- The need for data to fit in private caches is to avoid contention in Blosc multithreading.
- If possible, use all the data before it leaves caches.



Compression and decompression speed



https://www.blosc.org/posts/breaking-memory-walls/

What is Blosc2?

- Blosc2 is the next generation of Blosc(1).
- Blosc2 adds 63-bit containers (super-chunks) that expand over the existing 31-bit containers (chunks) in Blosc1.
- Metalayers for adding info for apps and users.



Blosc2: New features



Blosc2: New features



Filter pipeline

Compression process



Decompression process



Blosc2: New features



Serializing 63-bit super-chunks in Blosc2

Contiguous Frame



Sparse Frame



Frames can live either
on disk or **in memory**

Frame specification is very simple

- Fully documented in **less than 700 lines of text**:

```
> wc -l README_*_FORMAT.rst
     278 README_CFRAME_FORMAT.rst
     283 README_CHUNK_FORMAT.rst
      76 README_SFRAME_FORMAT.rst
     637 total
```

- One of the reasons is that it rests on the shoulders of MessagePack (https://msgpack.org), an efficient binary serialization format.
- Simplicity is important in terms of portability, and specially, safety.

Blosc2: New features



Filters and codecs work in parallel

Compression process



Filters and codecs work in parallel

Compression process



Filters and codecs work in parallel

Compression process



Filters and codecs work in parallel

Compression process



Filters and codecs work in parallel

Decompression process

Thread 1

Thread 2

Thread 3



Filters and codecs work in parallel

Decompression process



Filters and codecs work in parallel

Decompression process



Filters and codecs work in parallel

Decompression process



Block masks and parallel I/O

Block maskout	F	T	T	T	F	T	T	T	F	T	T	T	F	T	T	T
Index	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15



Specially effective when retrieving slices of multidim datasets.

Masked & paralel I/O in multidim datasets



Much more selective and faster queries!

Caterva (https://github.com/Blosc/caterva) and ironArray (https://ironarray.io)

Masked & paralel I/O in multidim datasets



Better performance in general (except for dimensions where retrieving a chunk is already optimal).

https://ironarray.io/docs/html/tutorials/03.Slicing_Datasets_and_Creating_Views.html

Blosc2: New features



Adaptability: plugins in local registry

User defined filter:

```
int urfilter2(
    blosc2_filter *filter) {
    …
}
```

To register locally:

```
blosc2_register_filter(
    urfilter2)
```

Filters registry

BLOSC_SHUFFLE	1
BLOSC_BITSHUFFLE	2
BLOSC_DELTA	3
. . .	
BLOSC_NDCELL	32
BLOSC_NDMEAN	33
. . .	
urfilter1	160
urfilter2	161
. . .	

Can be used now:

```
cparams.filters[4] = 161;
```

- Blosc official registered filters
- User local filters

And a similar procedure goes for codecs too!

Registering plugins in central registry



Registering plugins in central registry



Registering plugins in central registry



Registering plugins in central registry



Plugins in central registry are easy to deploy

Central registered plugins are **included** and **distributed** within the Blosc2 library, which can be installed using the Python wheels:

```
bash-3.2$ pip install blosc2 --no-cache-dir
Collecting blosc2
  Downloading blosc2-0.2.0-cp39-cp39-macosx_10_9_x86_64.whl (4.0 MB)
     |████████████████████████████████| 4.0 MB 3.4 MB/s
Installing collected packages: blosc2
Successfully installed blosc2-0.2.0
```

Very convenient in making your filter/codec accessible for everybody

Other features for Blosc2

- **Safety/Security**: we are actively using the OSS-Fuzz service for uncovering programming errors in C-Blosc2.
- **Nice markup for documentation**: See https://c-blosc2.readthedocs.io
- **Efficient support for special values**: repeated values can be represented with an efficient, simple and fast run-length encoding.
- **Preliminary Python wrapper for Blosc2:** https://github.com/Blosc/python-blosc2

Conclusion

Adapting compression to your needs

- ➔Tackling compression includes a gazillion ways to do it, but basically:
  - ➔Get the maximum compression ratio
  - ➔Reduce the compression/decompression time to a maximum
- ➔Blosc2 comes with a **rich set of codecs and filters** that users can easily try to find the one that better fits to their needs
- ➔Blosc2 orchestrates these codecs and filters for:
  - ➔**Parallelization** via multithreading
  - ➔Reuse and sharing internal buffers for **optimal memory consumption**

The result is a highly efficient tool for **compressing your way**

Data is the most important part of your system

The Blosc development team is committed to the future of your data:

- Blosc2 has a very simple format, and hence is very portable and maintenable
- We have spent quite a lot of energy keeping it orderly and clean
- Last but not least, safety/security is paramount for us

Proactivity should be the primary mechanism of
data integrity

The Blosc Development Team



Aleix Alcacer



Oscar Guiñón



Marta Iborra

Alberto Sabater



Nathan Moinvaziri

Francesc Alted

Thanks to donors!

HUAWEI

ironArray

NUMFOCUS
OPEN CODE = BETTER SCIENCE

python SOFTWARE FOUNDATION

Google

ESRF
The European Synchrotron



Jeff Hammerbacher

Without them, we could not have possibly put Blosc2 into production status: Blosc2 2.0.0 came out in June 2021; now at 2.0.4.

Enjoy data!

https://blosc.org/